

Général					CPU		RAM				
Nom	Localisation	Format	Fabricant	Modèle	Nb.	Modèle	Max.	Nb. slots	Fréquence	Compatibilité	Total
leonard	Salle serveur	1U	Dell	PowerEdge 1950 II	1	Xeon 5130	64Go	8	667MHz	FB-DIMM	2Go
sheldon	Salle serveur	1U	Dell	PowerEdge 1950 II		Xeon X5355	64Go	8	667MHz	FB-DIMM	3Go
Snowden	Local U1	1U	Dell	PowerEdge 1950 II	2	Xeon E5405	64Go	8	667MHz	FB-DIMM	8Go
opportunity	Salle serveur	1U	Dell	PowerEdge 1950 II	2	Xeon E5405	64Go	8	667MHz	FB-DIMM	16Go
galactica	Salle serveur	1U	Dell	PowerEdge 1950 II	2	Xeon X5450	64Go	8	667MHz	FB-DIMM	16Go
enterprise	Salle serveur	1U	Dell	PowerEdge 1950 II	2	Xeon E5405	64Go	8	667MHz	FB-DIMM	20Go
spirit	Salle serveur	1U	Dell	PowerEdge 1950 II	2	Xeon E5405	64Go	8	667MHz	FB-DIMM	24Go
howard	Local MiNET	2U	Dell	PowerEdge 2950 II		Xeon 5110	64Go	8	667MHz	FB-DIMM	0Go
raj	Salle serveur	2U	Dell	PowerEdge 2950 III			64Go	8	667MHz	FB-DIMM	1Go
penny	Salle serveur	2U	Dell	PowerEdge 2950 II	1	Xeon E5405	64Go	8	667MHz	FB-DIMM	2Go
charydbe	Salle serveur	2U	Dell	PowerEdge R515	1	Opteron 4386	256Go	8	1600MHz	RDIMM	32Go
scylla	Salle serveur	2U	Dell	PowerEdge R515	1	Opteron 4386	256Go	8	1600MHz	RDIMM	32Go
thor	Local U1	4U			1	Core 2 Duo E6550					4Go
hulk	Salle serveur	ATX			1	Athlon II X6 1055T					8Go

	Disque		
Détail	Capacité	Disques	Cartes réseau
2 x 1Go	2 x 3,5" SAS		1 x Broadcom NetXtreme II BCM570
3 x 1Go	2 x 3,5" SAS		1 x Broadcom NetXtreme II BCM570
4 x 2Go	2 x 3,5" SAS	1 x 73,4Go SAS	1 x Broadcom NetXtreme II BCM570
4 x 2Go + 2 x 4Go	2 x 3,5" SAS	1 x 73,4Go SAS	1 x Broadcom NetXtreme II BCM570
4 x 2Go + 2 x 4Go	2 x 3,5" SAS	2 x 73,4Go SAS	1 x Broadcom NetXtreme II BCM570
6 x 2Go + 2 x 4Go	2 x 3,5" SAS	1 x 73,4Go SAS	1 x Broadcom NetXtreme II BCM570
4 x 2Go + 4 x 4Go	2 x 3,5" SAS	1 x 73,4Go SAS	1 x Broadcom NetXtreme II BCM570
	6 x 3,5" SAS		1 x Broadcom NetXtreme II BCM570
2 x 512Mo	6 x 3,5" SAS		1 x Broadcom NetXtreme II BCM570
2 x 1Go	6 x 3,5" SAS		1 x Broadcom NetXtreme II BCM570
4 x 8Go	12 x 3,5" SATA	1 x 500Go SATA 7,2k	
4 x 8Go	12 x 3,5" SATA	1 x 500Go SATA 7,2k	
		5 x 1To	
2 x 2Go 10600 DDR3 Kingston	1 x 4Go Corsair XMS3	5 x 2To Samsung ecogreen F4 5,4k (donnée)	4 x Intel 82574L 1 x Realtek RTL811

Divers	Fabrication	Mise en service	Prix d'achat	Nb. ALIM.	Dimensions (mm)	Fin de garantie
8	2006	02/11/13	0 €	2	482,6 x 42,9 x 762	
lecteur CD/DVD	2006	02/11/13	0 €	2	482,6 x 42,9 x 762	
8x Intel 82571EB	2006	01/12/10	849 €	2	482,6 x 42,9 x 762	
8x Intel 82571EB	2006	01/12/10	849 €	2	482,6 x 42,9 x 762	
lecteur CD/DVD	2006	12/06/12	1 140 €	2	482,6 x 42,9 x 762	
8x Intel 82571EB	2006	01/12/10	849 €	2	482,6 x 42,9 x 762	
8x Intel 82571EB	2006	01/12/10	849 €	2	482,6 x 42,9 x 762	
lecteur CD/DVD	2006	02/11/13	0 €	2		
8	2006	02/11/13	0 €	2		
lecteur CD/DVD	2006	02/11/13	0 €	2		
	2013	10/10/13	2 150 €	2	445,2 x 86,7 x 664,6	10/10/16
	2013	10/10/13	2 150 €	2	445,2 x 86,7 x 664,6	10/10/16
				1		
Carte mère : Gigabite GA-880GA-UD3A	Alim : Corsair	26/02/11	671+200 €	1		